LPCB®

www.redbooklive.com

Certificate of Product Approval

Certificate Number: 1075a

Issue: 08

PRE

Charter Global Limited

1 Darwin Close Reading Berkshire RG2 0TB

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

Obexion Integr8 security shutters

Standard

LPS 1175: Issue 7

Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



LPCB®

Appendix to Certificate No: 1075a Charter Global Limited


Issue: 08

Security Shutters

	Product Name	Model	Туре	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref No.
	Obexion	UD SR2	Internally or externally face fitted roller shutter incorporating solid and/or perforated laths	2.0	10.0	1.0	8.0	2	1075a/01
		UD SR3	Internally or externally face fitted roller shutter incorporating solid and/or perforated laths	2.0	10.0	1.0	8.0	3	1075a/02
		MD SR4	Internally face fitted roller shutter incorporating solid laths	1.0	10.0	1.0	6.0	4	1075a/05
			Externally face fitted roller shutter incorporating solid laths	1.8	10.0	1.0	6.0	4	
		MD SR5	Internally face fitted roller shutter incorporating solid laths	1.0	10.0	1.0	6.0	5	1075a/06

This certificate and appendix is maintained and held in force through regular surveillance activities





LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com

© BRE Global Ltd, 2018

Appendix to Certificate No: 1075a Charter Global Limited

Issue: 08

Product Name	Model	Туре	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref No.
Integr8	SR2 180LS Ultra	Built-in roller shutter incorporating solid and/or perforated laths	2.0	10.0	1.0	6.0	2	1075a/03
	SR2 180C Ultra	Internally or externally face fitted roller shutter incorporating solid and/or perforated laths	2.0	10.0	1.0	8.0	2	1075a/07
	SR3 180LS Ultra	Built-in roller shutter incorporating solid and/or perforated laths	2.0	10.0	1.0	6.0	3	1075a/04
	SR3 180C Ultra	Internally or externally face fitted roller shutter incorporating solid and/or perforated laths	2.0	10.0	1.0	8.0	3	1075a/08

This certificate and appendix is maintained and held in force through regular surveillance activities



LPCB®

Appendix to Certificate No: 1075a Charter Global Limited

Issue: 08

Approved Installation Configurations¹

Product	Model	Configuration	Substrate						
Name			Brickwork	Blockwork	Concrete	Reinforced brickwork/ blockwork	Reinforced concrete	Structural steelwork	
Obexion	UD SR2	Internally or externally face fitted roller shutter	~	~	~	~	~	\checkmark	
	UD SR3	Internally or externally face fitted roller shutter	\checkmark	~	~	~	~	\checkmark	
	MD SR4	Internally or externally face fitted roller shutter	-	-	-	~	~	\checkmark	
	MD SR5	Internally face fitted roller shutter	-	-	-	-	~	√	
Integr8	SR2 180LS Ultra	Built-in roller shutter	~	~	-	~	-	-	
	SR2 180C Ultra	Internally or externally face fitted roller shutter	~	~	~	~	~	\checkmark	
	SR3 180LS Ultra	Built-in roller shutter	~	~	-	~	-	-	
	SR3 180C Ultra	Internally or externally face fitted roller shutter	~	~	~	~	~	~	

Notes:

- 1. The installation shall be direct to the substrate and not via intermediate substrates, such as plasterboard.
- 2. The approval only applies to the shutters when installed strictly in accordance with the instructions and using the fixings provided with the product.

This certificate and appendix is maintained and held in force through regular surveillance activities

P.Dilla	Paul Dillon	01 July 2019	26 June 20	013		
Signed for LPCB	Verifier	Date of Issue	Date of First	lssue		
LPCB	subject to terms and condit	x remain the property of BRE Global Ltd and is issued ions (for details visit <u>www.redbooklive.com/terms)</u> . certificate and appendix please visit	o wło			
	www.redbooklive.com/check, scan the QR Tag or contact us. LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enguiries@breglobal.com					
· · ·	1. 111 (0)555 521 00111.	n n (6) 1923 de 1863 2. <u>Enquines@bitegiobal.com</u>				

© BRE Global Ltd, 2018