LPCB®

Certificate of Product Approval

Charter Global Limited

CERTIFICATE NUMBER	ISSUE	COMPANY ADDRESS
1075a	11	1 Darwin Close Reading Berkshire RG2 0TB

The named company is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

PRODUCTS	STANDARDS
Integr8 Security Shutters	**LPS 1175: Issue 7** Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate is maintained and held in force through regular surveillance activities.

Signed for BRE Global Ltd	Chris Hunt Verifier	07 October 2025 Date of this Issue

26 June 2013
Date of First Issue

This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford,WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com

Copyright © 2025 BRE. All Rights Reserved.

Appendix to Certificate No: 1075a

ISSUE
11

Charter Global Limited

Security Shutters

Product Name	Model	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref No.
Integr8	SR2 180LS Ultra	Built-in roller shutter incorporating solid and/or perforated laths	1.0	10.0	0.6	6.0	2	1075a/03
	SR2 180C Ultra	Internally or externally face fitted roller shutter incorporating solid and/or perforated laths	1.0	10.0	0.6	8.0	2	1075a/07
	SR3 180LS Ultra	Built-in roller shutter incorporating solid and/or perforated laths	1.0	10.0	0.6	6.0	3	1075a/04
	SR3 180C Ultra	Internally or externally face fitted roller shutter incorporating solid and/or perforated laths	1.0	10.0	0.6	8.0	3	1075a/08

Approved Installation Configurations[1]

Product Name	Model	Configuration	Substrate					
			Brickwork	Blockwork	Concrete	Reinforced brickwork/ blockwork	Reinforced concrete	Structural steelwork
Integr8	SR2 180LS Ultra	Built-in roller shutter	✓	✓	-	✓	-	-
	SR2 180C Ultra	Internally or externally face fitted roller shutter	✓	✓	✓	✓	✓	✓

This certificate is maintained and held in force through regular surveillance activities.

Signed for BRE Global Ltd	Chris Hunt Verifier	07 October 2025 Date of this Issue

26 June 2013
Date of First Issue

This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford,WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com

Copyright © 2025 BRE. All Rights Reserved.

Appendix to Certificate No: 1075a

ISSUE
11

Charter Global Limited

Product Name	Model	Configuration	Substrate					
			Brickwork	Blockwork	Concrete	Reinforced brickwork/ blockwork	Reinforced concrete	Structural steelwork
	SR3 180LS Ultra	Built-in roller shutter	✓	✓	-	✓	-	-
	SR3 180C Ultra	Internally or externally face fitted roller shutter	✓	✓	✓	✓	✓	✓

Notes:

1. The installation shall be direct to the substrate and not via intermediate substrates, such as plasterboard.
2. The approval only applies to the shutters when installed strictly in accordance with the instructions and using the fixings provided with the product.

This certificate is maintained and held in force through regular surveillance activities.

Signed for BRE Global Ltd	Chris Hunt Verifier	07 October 2025 Date of this Issue

26 June 2013
Date of First Issue

This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com). To check the validity of this certificate and appendix please scan the QR tag, visit www.redbooklive.com or contact us.

LPCB® is a registered trademark of the Building Research Establishment Ltd.

BRE Global, Bucknalls Lane,
Watford,WD25 9XX
T: +44 (0)333 321 8811
E: enquiries@bregroup.com

Copyright © 2025 BRE. All Rights Reserved.